

**EAST Search History****EAST Search History (I nterference)**

<b>Ref #</b>	<b>Hits</b>	<b>Search Query</b>	<b>DBs</b>	<b>Default Operator</b>	<b>Plurals</b>	<b>Time Stamp</b>
L1	0	604/6.05\$.ccls. and catheter same pump same temperature	USPAT; UPAD	OR	OFF	2010/05/14 18:23
L2	12	604/6.11\$.ccls. and catheter same pump same temperature	USPAT; UPAD	OR	OFF	2010/05/14 18:23
L3	13	604/6.13\$.ccls. and catheter same pump same temperature	USPAT; UPAD	OR	OFF	2010/05/14 18:23
L4	4	604/6.13\$.ccls. and catheter same pump \$4 same extracorporeal same temperature	USPAT; UPAD	OR	OFF	2010/05/14 18:23
L5	2	604/6.11\$.ccls. and catheter same pump \$4 same extracorporeal same temperature	USPAT; UPAD	OR	OFF	2010/05/14 18:23
L6	0	604/6.05\$.ccls. and catheter same pump \$4 same extracorporeal same temperature	USPAT; UPAD	OR	OFF	2010/05/14 18:23

**5/ 14/ 2010 6:24:14 PM**

**C:\ Documents and Settings\ pwiest\ My Documents\ EAST\ Workspaces\ 10523857  
- blood temperature and pressure modulator, recirculation.wsp**